
Bond Enthalpies Map

OCR A Level Chemistry A · 3.2.1 Enthalpy changes · Bond enthalpies

1 Bond enthalpy

3.2.1(f)

- Energy to **break 1 mol** of a bond
- All species **gaseous**
- HCl(g) → H(g) + Cl(g): +432
- Always **positive**
- Making the bond: same, negative



2 Average bond enthalpy

3.2.1(f)


- A bond varies with its molecule
- Data values: **averages**
- C–H = 413 (mean)
- Diatomics: **exact** values
- Cl–Cl = 2 × $\Delta_{at}H$(Cl)




3 ΔH from bonds

3.2.1(f)

- List bonds broken and made
- **ΔH = Σ(broken) − Σ(made)**
- Multiply by the number of bonds
- Only changed bonds needed
- Made stronger: exothermic





4 Working back

3.2.1(f)

- Unknown bond as **x**
- Put in ΔH with its sign
- Solve; divide by bond count
- H–I from H_2 + I_2: 298
- N–H from NH_3: 391



5 Limitations

3.2.1(f)


- Mean values: **estimates**
- **Gases only**
- No changes of state
- CH_4: −818 by bonds, −890 data
- Hess data are more accurate



6 Which bond breaks?

4.2.2(d)

- The **weakest** bond first
- Cl–Cl (243) before C–H (413)
- Strong N≡N: slow reactions
- C–I fastest to hydrolyse
- Only an indication of rate



Average bond enthalpies used in this topic

kJ mol^{-1}; values for diatomic molecules are exact

Bond	kJ mol^{-1}	Bond	kJ mol^{-1}	Bond	kJ mol^{-1}
H–H	436	C–H	413	O=O	498
Cl–Cl	243	C–C	347	C=O (CO_2)	805
H–Cl	432	C=C	612	O–H	464
Br–Br	193	C–Cl	346	N≡N	945
H–Br	366	C–Br	290	N–H	391

Worked examples

H_2 + Cl_2 → 2HCl

- broken 436 + 243 = 679
- made 2 × 432 = 864
- **ΔH = −185 kJ mol^{-1}**

CH_4 + $2O_2$

- broken 2648
- made 3466
- **ΔH = −818 kJ mol^{-1}**

Working back

- H_2 + I_2 → 2HI: −9
- −9 = 587 − 2x
- **H–I = 298 kJ mol^{-1}**

The forces between molecules are far weaker than any of these bonds.

Online Learning System · onlinelearningsystem.net · © 2026 Online Learning System. All rights reserved. Not for redistribution.